

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S16	2457	709/206.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 10:59
S19	2118638	broker\$1 agent\$1 delegate\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:13
S20	2200942	notice\$1 communicati\$2 messag\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:10
S21	39527	(asynchronous S19) with S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:08
S22	523	S16 and S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:08
S33	246	(message adj (queu\$3 broker\$1)) same poll\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 14:16
S43	2979	(asynchronous broker\$1) near3 messag\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:11
S65	427	publisher\$1 near3 subscriber\$1	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/01/14 16:45

S67	495	MQSeries	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 10:03
S71	1111	publish\$2 adj subscribe\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 10:20
S81	606	(poll\$3 timeout asynchronous) same (message adj (channel\$1 queue\$1))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/01/18 11:17
S83	26	(software adj ag).as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/01/25 09:06
S93	27	mqget	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/25 11:52
S95	5154	(message adj broker\$1) (enterprise adj application adj integration) (message adj queue\$4)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/01/25 15:12
S98	128	timeout same (message adj queue\$4)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/01/25 15:08
S99	16	jms with servlet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/01/25 15:08
S10 3	3529	709/206,246.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/01/25 15:49
S11 0	85	timeout adj response	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/01/26 10:09

S11 8	1112	(post adj office adj protocol)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/01/26 10:18
S12 4	3	sagavista	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/01/26 17:10
S12 5	0	"6453356".pn. and "292"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 15:39
S12 6	0	"6023722".pn. and (timeout (time adj out))	USPAT	OR	OFF	2005/02/04 15:41
S12 7	254	(message adj channel) and (timeout (time adj out))	USPAT	OR	OFF	2005/02/04 15:42
S12 8	37	(message adj channel) same (timeout (time adj out))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 15:43
S12 9	4993	response with (timeout (time adj out))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 15:43
S13 0	176	(timeout (time adj out)) adj response	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 15:49
S13 1	7356	message adj (channel queue\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 15:49
S13 2	18	S129 same S131	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 15:50

S13 3	10190	pull with response	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 15:54
S13 4	60	S131 and S133	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 15:50
S13 5	7	S133 and 709/206.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 15:53
S13 6	331	S131 and (response with (timeout (time adj out)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 15:58
S13 7	76	S131 and (response adj (timeout (time adj out)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 15:58
S13 8	99	S131 and (response near (timeout (time adj out)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 09:48
S13 9	0	ApplIdentityData	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 10:00
S14 0	146	(message adj (broker queue\$4)) and (request same (source adj (address information)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 10:39

S14 1	21	(message adj (channel queu\$4)) same ((source adj (address information)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 10:49
S14 2	103	(message adj (channel queu\$4)) same ((destination adj (address information)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 10:56
S14 3	13	(message adj (channel queu\$4)) same (source adj address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 10:57
S14 4	13	(message adj (channel\$2 queu\$4 broker\$1)) same (source adj address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 10:57
S14 5	610	(message adj (channel\$2 queu\$4 broker\$1)) same source	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 11:00
S14 6	90	(message adj (channel\$2 queu\$4 broker\$1)) same (destination adj address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 15:02
S14 7	89	(message adj (channel\$2 queu\$4)) same (destination adj address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 14:34
S14 8	121	firewall\$1 with http with pass	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 16:22

S14 9	3032	url with response	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 16:22
S15 0	1245	S149 and "709".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 16:22
S15 1	473	url near response	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 16:22
S15 2	243	S151 and "709".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 16:22
S15 3	336	retransmit\$4 with ((time adj out) timeout)	USPAT	OR	OFF	2005/02/09 11:46
S15 4	628	retransmit\$4 with ((time adj out) timeout)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 11:32
S15 5	149	S154 and "709".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 11:32
S15 6	35	retransmit\$4 with ((time adj out) timeout) with response	USPAT	OR	OFF	2005/02/09 11:46
S15 7	88	retransmit\$4 with ((time adj out) timeout) with response	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 11:48
S15 8	15	S157 and "709".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 11:47

S15 9	1	retransmit\$4 with ((time adj out) timeout) with response with nack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 11:49
S16 0	13	retransmit\$4 with ((time adj out) timeout) with nack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 11:49
S16 1	2	"20030069980".did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 13:17
S16 3	2	("6088796" "6023722").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/07/15 13:52
S16 4	1	ep02078303	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/07/15 13:52
S16 5	152	(message adj (channel\$2 queu\$4 broker\$1)) same pull\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 15:30
S16 6	15	S165.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 15:34
S16 7	1	"6292825".pn. and internet\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:37
S16 8	3	("6292825").URPN.	USPAT	OR	OFF	2005/07/15 16:02
S16 9	5	("5561637"   "5694546"   "5737619"   "5893091"   "6138158").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/15 16:02

S17 0	5	("5561637"   "5694546"   "5737619"   "5893091"   "6138158").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/15 17:35
S17 1	1611	(stor\$3 adj2 forward\$3) same (channel\$1 queue\$1 mailbox\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:37
S17 2	243	(stor\$3 adj2 forward\$3) same (channel\$1 queue\$1 mailbox\$2) same (request\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:46
S17 3	1	(stor\$3 adj2 forward\$3) same (channel\$1 queue\$1 mailbox\$2) same (request\$3) same pull\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:46
S17 4	74	(stor\$3 adj2 forward\$3) near10 (channel\$1 queue\$1 mailbox\$2) same (request\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:49
S17 5	1	"20020010781".did. and queue\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:50
S17 6	1	"20020010781".did. and (queue\$1 (stor\$3 adj2 forward\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 15:01
S17 7	64	(message adj queue\$4) near5 pull\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 15:02
S17 8	227503	"64" same (application\$1 network\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 15:02



S17 9	40	S177 same (application\$1 network\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 15:29
S18 0	7563	(destination recipient\$1) near3 (channel\$1 queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 15:29
S18 1	7	S177 same S180	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 16:01
S18 2	5	("6704768" "6470357").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 16:01
S18 3	2	("6704768" "6470357").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/09 16:03
S18 4	944	(message adj rout\$3) same (channel\$1 queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/09 16:03
S18 5	42	S184.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/09 16:45
S18 6	1475	(identify\$3 near3 (queue\$1 channel\$1)) same (message\$1 email)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/09 16:46
S18 7	101	(identify\$3 near3 (message adj (queue\$1 channel\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/09 16:46

S18 8	4103	messag\$3 same ((queue\$3 channel\$3) near3 identif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 11:00
S18 9	140	messag\$3 same ((queue\$3 channel\$3) near3 identif\$4) same source\$1 same destination\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 11:03
S19 0	28	S189 and "709".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 11:02
S19 1	67	S189 same network\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 11:02
S19 2	39	messag\$3 same ((queue\$3) near3 identif\$4) same source\$1 same destination\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 11:05
S19 3	1	(messag\$3 near broker\$1) same ((queue\$3) near3 identif\$4) same source\$1 same destination\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 11:05
S19 4	28	(messag\$3 near broker\$1) and ((queue\$3 channel\$1) near3 identif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 11:08
S19 5	1338	(messag\$3 near queue\$4) and ((queue\$3 channel\$1) near3 identif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 11:09

S19 6	340	S195 and "709".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 11:09
S19 7	363	(messag\$3 near queue\$4) same ((queue\$3 channel\$1) near3 identif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 12:06
S19 8	26	S197.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 11:09
S19 9	397	(messag\$3 near queue\$4) same ((queue\$3 channel\$1) near3 (specify\$3 identif\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 12:06
S20 0	43	S199 same network\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 12:06
S20 1	15	("4663706"   "4736369"   "4972437"   "5036518"   "5051892"   "5261089"   "5276861"   "5363505"   "5371886"   "5396613"   "5488703"   "5517622"   "5561797"   "5727154"   "5903724").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/11 13:02
S20 2	0	("6817018").URPN.	USPAT	OR	OFF	2005/08/11 13:03
S20 3	16	mqsi	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 13:57
S20 4	119	(messag\$3) same (subscriber near10 (timeout (time adj out)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 13:58

S20 5	93	(messag\$3).ab. and (subscriber near10 (timeout (time adj out)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 13:58
S20 6	70	(messag\$3).ab. and (subscriber\$1 near5 (timeout (time adj out)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 13:58
S20 7	67	messag\$3 same (subscriber\$1 near5 (timeout (time adj out)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 13:59
S20 8	19	messag\$3 same (subscriber\$1 near5 (timeout (time adj out))) same (queue\$3 channel\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 14:00
S20 9	0	(messag\$3 near (broker\$1 queue\$3)) same (subscriber\$1 near5 (timeout (time adj out)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 14:01
S21 0	30	(messag\$3 near (broker\$1 queue\$3)) same ((client\$1 recipient\$1 subscriber\$1) near5 (timeout (time adj out)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 14:29
S21 1	6	(messag\$3 near2 middleware) same ((explicit\$2 identif\$4) near3 queue\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 14:30
S21 2	10	(messag\$3 near2 middleware) same pull\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 14:31
S21 3	0	(messag\$3 near2 middleware) same (pull\$3 near5 queue\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 14:32
S21 4	13	(messag\$3 near2 middleware) and (pull\$3 near5 queue\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 14:52

S21 5	93	(messag\$3 near2 middleware) and (read\$3 near5 queu\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 17:36
S21 6	1	"5771353".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 17:36